







Copyright© 1999-2008 Management Decision Systems, Inc.





























#5 Design Space to Optimize Production ^{continued} Grocery Store Adventure









































Tests CBC Kidney Auto Diff Gluc Mg Phos C Strep SC Liver U Chem Man Diff CMP Ca C Urine Ionized Ca U Micro	STAT x x x x x x x x x x x x x x x x x x x	Volume 10,962 8,085 6,083 5,579 5,410 5,124 5,009 3,979 3,430 3,366 3,266 3,266 3,089 2,599 2,411 1,995	Order 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 6	Cummulative 8.5% 14.8% 19.5% 23.8% 28.0% 32.0% 35.8% 35.8% 41.6% 44.2% 46.7% 49.1% 51.1% 53.0% 54.5%	% Codes 0.1% 0.3% 0.4% 0.5% 0.6% 0.9% 1.0% 1.1% 1.3% 1.4% 1.5% 1.7% 1.8% 1.9% 2.0%
C Bid TSH Morphology PT APTT Ag Strep A	X X X	1,792 1,674 1,479 1,446 1,446 1,446	16 17 18 19 20 21	55.9% 57.2% 58.4% 59.5% 60.6% 61.6%	2.0% 2.2% 2.3% 2.3% 2.4% 2.5%





















